

The GT Sit represents a step forward in comfort for rope access workers. The harness was developed from the findings of our "SOSPESI" research program which gave us new insights on suspension trauma. The innovative connection between the waist belt and leg loops makes the GT Sit comfortable both during suspension and on the ground. The padding uses variable thicknesses and stiffness to provide the right amount of support and comfort for every part of the body.

Ventral attachment features two loops: the upper loop is for attaching a chest harness and chest ascender and the lower loop holds the ventral D-ring for attaching lanyards and rope tools. STS automatic buckles on the leg loops.

3 aluminum alloy attachment points: 1 ventral for suspension and 2 side for positioning and restraint. Webbing loop for restraint on the back. Designed for use in combination with the GT Chest (ref.216601), with front and back connection points, to make a full body fall arrest harness.

Equipped with NFC TRACK tag for digital identification.

2 sizes.



### GT SIT + GT CHEST



Ref.	Product name	Size	Weight		Waist	Legs	CE		EAC	Attachment points
			g	oz	B (cm)	C (cm)	EN 358	EN 813		
216501	GT SIT	S-L	1360	48.0	80-120	50-65	•	•	•	
		L-XXL	1420	50.1	90-140	60-75				

- 1 Aluminium alloy ring for ventral attachment point, EN 813 certified. Patented ventral attachment features two loops: the upper loop is for attaching a chest harness and chest ascender and the lower loop holds the ventral D-ring for attaching lanyards and rope tools.
- 2 New aluminium alloy positioning ring, EN 358 certified.
- 3 Back attachment point for work positioning, certified according EN 358.
- 4 Patented STS automatic buckles on the leg loops.
- 5 Triple-layer belt padding: comfortable 3D mesh inside. Additional rigid foam on back load areas.
- 6 Double density leg-loops padding: stiffer on the back for load support, softer on the groin area for comfort. 3D mesh inside. Large contact area for pressure distribution.
- 7 The innovative connection between the waist belt and leg loops makes the sit harness comfortable both during suspension and on the ground.
- 8 Easy-to-adjust buckles made from carbon steel.
- 9 Polyester belt webbing, 44 mm wide.
- 10 Polyester leg-loop webbing, 33 mm wide.
- 11 Back leg-loops connection webbings adjustable in length with the new buckles.
- 12 Buckle for "GT Chest" fastening.
- 13 Webbing system for fastening "HUB" ref.0910 gear-carabiner (supplied separately).
- 14 Four large side gear loops.
- 15 Two small side gear loops each side, for fastening Tool Bag ref.2195 and tool lanyards Sawyer ref.2151 or Tooler ref.2150.
- 16 Patented "Sicura" buckles for fastening "Access Swing" Ref.1963.
- 17 Webbing loop for "Access Swing" fastening when not in use.
- 18 Equipped with NFC TRACK tag for digital identification.



## GT CHEST

- ❶ Fall arrest aluminium alloy rings (front and back) certified according EN 361, suitable for the connection of a shock absorbing lanyard or a fall arrest device.
- ❷ The structure and padding have been shaped for optimal ergonomics, especially on the neck.
- ❸ Triple-layer padding: comfortable 3D mesh, robust intermediate foam, external protective mesh.
- ❹ Polyester webbings, 44 mm wide.
- ❺ Carbon steel buckles for fast adjustment.
- ❻ Patented "HMS Belay Lock" ref.1176 connector, equipped with anti-rotation lever. Detachable. Made of aluminium alloy. To be connected to the sit harnesses "Access Sit", "Tree Access Evo" and "GT Sit".
- ❼ Back connection system to "Access Sit", "Tree Access Evo" and "GT Sit".
- ❽ Webbing system for chest ascender fastening.
- ❾ Equipped with NFC TRACK tag for digital identification.



Ref.	Product name	Size	Weight		Height 	CE	EAC	Attachment points 
			g	oz	D (cm)			
216601	GT CHEST	S-L	610	21.5	55-75	EN 361	•	•
		L-XXL	650	22.9	65-85			

C.A.M.P. presents in this catalog a **complete solution for the digital management of PPE**, both for allocation to users and for periodic inspections: the **NFC TRACK hardware tags on the products** work seamlessly with the **G.T.S. - Gear Tracking System software** to make the system very intuitive and easy to use.

**NFC TRACK chips are installed on many C.A.M.P. products** (harnesses, helmets, Retexo lanyards). They **can also be attached directly on any PPE** by the user, so that the user can assign the PPE data to the chip by means of the C.A.M.P. G.T.S.

**NFC (Near Field Communication) technology** is now present on most smartphones and used every day for smart payments. Today, it also represents the future for the individual identification of products.

The **HF RFID (High Frequency Radio Frequency Identification)** communication system on which NFC is based allows the C.A.M.P. NFC TRACK to be easily read using any latest generation smartphone or for professionals using a PC reader.



**NFC TRACK chip installed!**



## - G.T.S. - GEAR TRACKING SYSTEM

G.T.S. allows professionals to easily manage PPE both via the smartphone app (available on Play Store and Apple Store) and from a PC via the web app.

Two different packages allow for carrying out periodic inspections and also for managing the company allocation of PPE to its employees.

The database of **G.T.S. includes the technical information of all C.A.M.P. products** for work at height and a **large number of other products** posted by other users of the community with publicly available information.

